

# **Companion Products**

Control and Secondary Antibodies, Detection Reagents, Buffers, and Other Reagents to Complete Your Workflow





Cell Signaling Technology (CST) offers a wide selection of epitope-tagged and control antibodies, secondary antibodies, detection reagents, and experimental controls as well as standard buffers and other reagents required to complete your experimental workflow. These same reagents are also used in-house for antibody validation for applications including western blotting, immunohistochemistry, flow cytometry, and immunofluorescent analysis and, therefore, work optimally with our primary antibodies. Technical support is provided by the product scientists who make the reagents and know them best.



# **Contents**

- 1 Epitope Tag Antibodies
- **2** Western Blot
- 4 Immunoprecipitation
- **5** Immunohistochemistry
- Immunofluorescence, Flow Cytometry, and Fluorescence Imaging
- 8 Chromatin Immunoprecipitation and ChIP-seq
- Activators and Inhibitors, siRNA Reagents, Cytokines and Growth Factors

# **Epitope Tag Antibodies**

Available in unconjugated format or conjugated to bead, fluorophores, HRP, and biotin.

		APPLICATIONS
#14682	Digoxigenin (D8Q9J) Rabbit mAb	WB
#49620	Digoxigenin (D8Q9J) Rabbit mAb (HRP Conjugate)	WB
#14681	Dinitrophenol (D1D6) Rabbit mAb	WB
#58203	Dinitrophenol (D1D6) Rabbit mAb (HRP Conjugate)	WB
	DYKDDDDK Tag (9A3) Mouse mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody)	WB, IP, IHC-P, IF-IC, F
	DYKDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody)	WB, IP, IHC-P, IF-IC, F, ChIP
	DYKDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (Alexa Fluor® 488 Conjugate)	F
	DYKDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (Alexa Fluor® 647 Conjugate)	F
#15010	DYKDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (Pacific Blue™ Conjugate)	F
	DYKDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (PE Conjugate)	F
	DYKDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (Sepharose® Bead Conjugate)	IP
	DYKDDDDK Tag Antibody (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody)	WB, IP, F
	DYKDDDDK Tag Antibody (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (Biotinylated)	WB, IP
	DYKDDDDK Tag Antibody (Binds to same epitope as Sigma's Anti-FLAG® M2 Antibody) (HRP Conjugate)	WB
#13419	E-Tag Antibody	WB, IP
#2956	GFP (D5.1) XP® Rabbit mAb	WB, IHC-P, IF-IC, F
#2912	GFP (D5.1) XP® Rabbit mAb (Biotinylated)	WB
#2037	GFP (D5.1) XP® Rabbit mAb (HRP Conjugate)	WB
#2955	GFP (4B10) Mouse mAb	WB, IHC-P, F
#2555	GFP Antibody	WB, IHC-P
#2448	Glu-Glu Tag Antibody	WB, IP, IF-IC
#9325	GSK-3ß-Tag Antibody	WB
#2625	GST (91G1) Rabbit mAb	WB, IP
#5475	GST (91G1) Rabbit mAb (HRP Conjugate)	WB
#2624	GST (26H1) Mouse mAb	WB, IP, IF-IC
#3368	GST (26H1) Mouse mAb (Alexa Fluor® 488 Conjugate)	IF-IC, F
#3445	GST (26H1) Mouse mAb (Alexa Fluor® 647 Conjugate)	F
#11847	GST (26H1) Mouse mAb (Magnetic Bead Conjugate)	IP
#2622	GST Antibody	WB, IP
#3724	HA-Tag (C29F4) Rabbit mAb	WB, IP, IHC-P, IF-IC, F, ChIP
#5017	HA-Tag (C29F4) Rabbit mAb (Biotinylated)	WB
• • • • • • • • • • • • • • • • • • • •	HA-Tag (C29F4) Rabbit mAb (HRP Conjugate)	WB
#11846	HA-Tag (C29F4) Rabbit mAb (Magnetic Bead Conjugate)	IP
#14904	HA-Tag (C29F4) Rabbit mAb (PE Conjugate)	F
· · · · · · · · · · · · · · · · · · ·	HA-Tag (C29F4) Rabbit mAb (Sepharose® Bead Conjugate)	IP
#2367	HA-Tag (6E2) Mouse mAb	WB, IHC-P, IF-IC, F
	HA-Tag (6E2) Mouse mAb (Alexa Fluor® 488 Conjugate)	IF-IC, F
#2350	- · · · · · · · · · · · · · · · · · · ·	IF-IC, F
· · · · · · · · · · · · · · · · · · ·	HA-Tag (6E2) Mouse mAb (Alexa Fluor® 647 Conjugate)	11 -10, 1
#3444	HA-Tag (6E2) Mouse mAb (Alexa Fluor® 647 Conjugate) HA-Tag (6E2) Mouse mAb (HRP Conjugate)	WB
#3444 #2999	HA-Tag (6E2) Mouse mAb (Alexa Fluor® 647 Conjugate) HA-Tag (6E2) Mouse mAb (HRP Conjugate) His-Tag (D3I10) XP® Rabbit mAb	WB, IP, IF-IC, F,
#3444 #2999 #12698	HA-Tag (6E2) Mouse mAb (HRP Conjugate) His-Tag (D3I10) XP® Rabbit mAb	WB, IP, IF-IC, F, ChIP
#3444 #2999 #12698 #14930	HA-Tag (6E2) Mouse mAb (HRP Conjugate)	WB WB, IP, IF-IC, F, ChIP IF-IC, F

		ALLEGATIONS
#12688	His-Tag (D3I10) XP® Rabbit mAb (HRP Conjugate)	WB
#15024	His-Tag (D3I10) XP® Rabbit mAb (PE Conjugate)	F
#82437	His-Tag (D3I10) XP® Rabbit mAb (Sepharose® Bead Conjugate)	IP
#2366	His-Tag (27E8) Mouse mAb	WB, IP
#9991	His-Tag (27E8) Mouse mAb (HRP Conjugate)	WB
#8811	His-Tag (27E8) Mouse mAb (Magnetic Bead Conjugate)	IP
#4079	His-Tag (27E8) Mouse mAb (Sepharose® Bead Conjugate)	IP
#2365	His-Tag Antibody	WB, IP
#68083	HPC4-Tag Antibody	WB, IP
#53061	mNeonGreen Tag Antibody	WB
#2278	Myc-Tag (71D10) Rabbit mAb	WB, IP, IF-IC, F
#3946	Myc-Tag (71D10) Rabbit mAb (Biotinylated)	WB
#14038	Myc-Tag (71D10) Rabbit mAb (HRP Conjugate)	WB
#42136	Myc-Tag (71D10) Rabbit mAb (Alexa Fluor® 700 Conjugate)	F
#64025	Myc-Tag (71D10) Rabbit mAb (PE Conjugate)	F
#2396	MBP Tag (8G1) Mouse mAb	WB, IP, IF-IC
#2276	Myc-Tag (9B11) Mouse mAb	WB, IP, IHC-P, IF-IC, F, ChIP
#2279	Myc-Tag (9B11) Mouse mAb (Alexa Fluor® 488 Conjugate)	IF-IC, F
#3756	Myc-Tag (9B11) Mouse mAb (Alexa Fluor® 555 Conjugate)	IF-IC
#9483	Myc-Tag (9B11) Mouse mAb (Alexa Fluor® 594 Conjugate)	IF-IC
#2233	Myc-Tag (9B11) Mouse mAb (Alexa Fluor® 647 Conjugate)	IF-IC, F
#2040	Myc-Tag (9B11) Mouse mAb (HRP Conjugate)	WB
#5698	Myc-Tag (9B11) Mouse mAb (Magnetic Bead Conjugate)	IP
#3739	Myc-Tag (9B11) Mouse mAb (PE Conjugate)	F
#3400	Myc-Tag (9B11) Mouse mAb (Sepharose® Bead Conjugate)	IP
#2272	Myc-Tag Antibody	WB, IF-IC, F
#12774	S-Tag (D2K2V) XP® Rabbit mAb	WB, IP, IF-IC, F
#2372	ß-Gal (14B7) Mouse mAb	WB, IP, IF-IC, F
#13246	T7-Tag (D9E1X) XP® Rabbit mAb	WB, IP, IF-IC
	T7-Tag (D9E1X) XP® Rabbit mAb (HRP Conjugate)	WB
#14044	17-1ag (D3L1X) XI Habbit HAb (Hill Colljugate)	****

**APPLICATIONS** 

#### Visit cst-science.com/comp-tags

for the full list of epitope tag antibodies.



# Western Blot

Cell Signaling Technology (CST) offers a wide selection of secondary antibodies and detection reagents, as well as standard buffers and experimental controls for western blotting.

Our antibodies perform best when CST-recommended protocols are followed. The optimal primary antibody dilutions and diluents are already determined and noted on the product datasheet, saving you from troubleshooting. CST-recommended protocols for both chemiluminescent and fluorescent western blotting are available on our website at **cst-science.com/comp-protocols**. Technical support is also provided by the CST scientists who make the reagents and know them best.

#### Secondary Antibodies


	- · · · · · · · · · · · · · · · · · · ·
#7074	Anti-rabbit IgG, HRP-linked Antibody
#7076	Anti-mouse IgG, HRP-linked Antibody
#7077	Anti-rat IgG, HRP-linked Antibody
#7054	Anti-rabbit IgG, AP-linked Antibody
#7056	Anti-mouse IgG, AP-linked Antibody
#14708	Anti-rabbit IgG (H+L), Biotinylated Antibody
#14709	Anti-mouse IgG (H+L), Biotinylated Antibody
#5257	Anti-mouse IgG (H+L) (DyLight™ 800 4X PEG Conjugate)
#5151	Anti-rabbit IgG (H+L) (DyLight™ 800 4X PEG Conjugate)
#5470	Anti-mouse IgG (H+L) (DyLight™ 680 Conjugate)
#5366	Anti-mouse IgG (H+L) (DyLight™ 680 Conjugate)
#5597	Anti-biotin (D5A7) Rabbit mAb
#5571	Anti-biotin (D5A7) Rabbit mAb (HRP Conjugate)
#7055	Anti-biotin, AP-linked Antibody
#7075	Anti-biotin, HRP-linked Antibody
#3678	Mouse Anti-rabbit IgG (Conformation Specific) (L27A9) mAb
#5127	Mouse Anti-rabbit IgG (Conformation Specific) (L27A9) mAb (HRP Conjugate)
#45262	Mouse Anti-rabbit IgG (Light-Chain Specific) (D4W3E) mAb
#93702	Mouse Anti-Rabbit IgG (Light-Chain Specific) (D4W3E) mAb (HRP Conjugate)
#58802	Rabbit Anti-Mouse IgG (Light Chain Specific) (D3V2A) mAb (HRP Conjugate)
#46387	Anti-Blue (2D2F11) Mouse mAb (HRP Conjugate)

### Protein Molecular Weight Markers

#7727 Biotinylated Protein Ladder Detection Pack	
#12949 Color-coded Prestained Protein Marker, High Range (43-315	kDa)
#13070 Color-coded Prestained Protein Marker, Low Range (1.7-42 l	(Da)
#14208 Color-coded Prestained Protein Marker, Broad Range (11-25	0 kDa)
#13953 Prestained Protein Marker Broad Range (11-190 kDa)	

# **Detection Reagents**

#6883	SignalFire™ ECL Reagent
#12630	SignalFire™ Plus ECL Reagent
#12757	SignalFire™ Elite ECL Reagent
#7003	20X LumiGL0® Reagent and 20X Peroxide
#7071	Phototope-HRP Western Blot Detection System, Anti-rabbit IgG, HRP-linked Antibody
#7072	Phototona-HRP Wastern Riot Detection System Anti-mouse InG HRP-linked Antihody



20X LumiGL0® Reagent and 20X Peroxide #7003: After the primary antibody is bound to the target protein, a complex with HRP-linked secondary antibody is formed. The LumiGL0® is added and emits light during enzymecatalyzed decomposition.

#### **Cell Fractionation**


The Cell Fractionation Kit is designed to provide a fast and efficient way of separating cultured cells into three distinct fractions: cytoplasmic, membrane/ organelle, and nuclear/cytoskeletal. These fractions can then be analyzed by SDS-PAGE and western blotting.

#9038 Cell Fractionation Kit
#11843 Cell Fractionation Antibody Sampler Kit

#### Control Cell Extracts & Proteins

Cell extracts are available that can be used as positive and negative controls for our antibodies. For a list of recommended controls for all of our activation state-specific antibodies, visit **cst-science.com/comp-cell-extracts**.

#9273	Akt Control Cell Extracts
#9194	p44/42 MAPK (Erk1/2) Control Cell Extracts
#12052	Smad2/3 Control Cell Extracts
#9663	Caspase-3 Control Cell Extracts
#9133	Stat1/2/3/5 Control Cell Extracts
#9243	NF-kB Control Cell Extracts
#9193	CREB Control Cell Extracts
#9253	SAPK/JNK Control Cell Extracts
#2043	Jurkat Apoptosis Cell Extracts (etoposide)
#9233	MKK3/MKK6 Control Cell Extracts
#9160	MEK1/2 Control Cell Extracts
#11972	LC3 Control Cell Extracts
#5634	EGF Receptor Control Cell Extracts
#9213	p38 MAPK Control Cell Extracts
#9263	c-Jun Control Cell Extracts
#46362	Mouse Heart Tissue Control Extracts
#9223	ATF-2 Control Cell Extracts
#55330	Mouse Brain Tissue Control Extracts
#2904	VEGF Receptor 2 Control Proteins
• • • • • • • • • • • • • • • • • • • •	Bad Control Proteins
#9303	Rb Control Proteins
• • • • • • • • • • • • • • • • • • • •	•




**Akt Control Cell Extracts #9273:** Western blot analysis of extracts from Jurkat cells, Calyculin A or LY294002-treated, using Phospho-Akt (Ser473) Antibody #9271 (left), Phospho-Akt (Thr308) Antibody #9275 (middle), or Akt Antibody #9272 (right).

# **Loading Controls**

CST offers numerous antibodies that can be used as total protein loading controls. Our loading control antibody sampler kits are an economical means to determine which loading control is best for the system of interest. For example, Loading Control Antibody Sampler Kit (HRP Conjugate) #4670 contains antibodies directed against β-actin, β-tubulin, GAPDH, COX IV, and histone H3, already conjugated to HRP, saving one step in the detection process. Visit cst-science.com/comp-loading-controls for the full list of available loading control antibodies.

#5142 Loading Control Antibody Sampler Kit
#9774 Loading Control Antibody Sampler Kit (Mouse)
#4670 Loading Control Antibody Sampler Kit (HRP Conjugate)
#6487 a-Actinin (D6F6) XP® Rabbit mAb
#2125 a-Tubulin (11H10) Rabbit mAb
#9099 a-Tubulin (11H10) Rabbit mAb (HRP Conjugate)
#3873 a-Tubulin (DM1A) Mouse mAb
#12351 a-Tubulin (DM1A) Mouse mAb (HRP Conjugate)
#2144 a-Tubulin Antibody
#2148 a/B-Tubulin Antibody
#5175 Cofilin (D3F9) XP® Rabbit mAb
#8503 Cofilin (D3F9) XP® Rabbit mAb (HRP Conjugate)
#4850 COX IV (3E11) Rabbit mAb
#5247 COX IV (3E11) Rabbit mAb (HRP Conjugate)
#4844 COX IV Antibody
#2118 GAPDH (14C10) Rabbit mAb
#3683 GAPDH (14C10) Rabbit mAb (HRP Conjugate)
#5014 GAPDH (14C10) Rabbit mAb (Biotinylated)
#5174 GAPDH (D16H11) XP® Rabbit mAb
#8884 GAPDH (D16H11) XP® Rabbit mAb (HRP Conjugate)
#9717 Histone H3 (3H1) Rabbit mAb
#5192 Histone H3 (3H1) Rabbit mAb (HRP Conjugate)
#3638 Histone H3 (96C10) Mouse mAb
#4499 Histone H3 (D1H2) XP® Rabbit mAb
#12648 Histone H3 (D1H2) XP® Rabbit mAb (HRP Conjugate)
#9715 Histone H3 Antibody
#8456 Pan-Actin (D18C11) Rabbit mA
#12748 Pan-Actin (D18C11) Rabbit mAb (HRP Conjugate)
#4970 B-Actin (13E5) Rabbit mAb
#5125 B-Actin (13E5) Rabbit mAb (HRP Conjugate)
#3700 B-Actin (8H10D10) Mouse mAb
#12262 B-Actin (8H10D10) Mouse mAb (HRP Conjugate)
#8457 B-Actin (D6A8) Rabbit mAb
#12620 B-Actin (D6A8) Rabbit mAb (HRP Conjugate)
#4967 B-Actin Antibody
#2128 B-Tubulin (9F3) Rabbit mAb
#5346 ß-Tubulin (9F3) Rabbit mAb (HRP Conjugate)
#2146 B-Tubulin Antibody
#13901 Vinculin (E1E9V) XP® Rabbit mAb



GAPDH (D16H11) XP® Rabbit mAb #5174: Western blot analysis of extracts from various cell lines using #5174.

# Buffers, Reagents, & Other Western Blot Supplies

#12957	Western Blotting Application Solutions Kit
#5872	Protease/Phosphatase Inhibitor Cocktail (100X)
#5870	Phosphatase Inhibitor Cocktail (100X)
#5871	Protease Inhibitor Cocktail (100X)
#9803	Cell Lysis Buffer (10X)
#9806	RIPA Buffer (10X)
#9852	Chaps Cell Extract Buffer (10X)
#9808	Phosphate Buffered Saline (PBS-20X)
#9872	Phosphate Buffered Saline (PBS-1X) pH7.2 (Sterile)
#8553	PMSF
#7722	Blue Loading Buffer Pack
#7723	Red Loading Buffer Pack
#9997	Tris Buffered Saline with Tween® 20 (TBST-10X)
#12498	Tris Buffered Saline (TBS-10x)
#4050	Tris-Glycine SDS Running Buffer (10X)
#12539	Tris-Glycine Transfer Buffer (10X)
#9998	BSA
#9999	Nonfat Dry Milk
#15019	Animal-Free Blocking Solution 5x
#59803	Ponceau S Staining Solution
#12369	Nitrocellulose Sandwiches
***************************************	•



# **Immunoprecipitation**

Cell Signaling Technology (CST) provides rigorously validated antibodies for immunoprecipitation (IP), including control, secondary, epitope-tagged, and bead-conjugated antibodies. We also offer reagents, buffers, beads, and other companion products that are thoroughly evaluated for IP experiments.

CST-recommended protocols for IP are available on our website at **cst-science.com/comp-protocols**. Technical support is also provided by the CST scientists who make these products and know them best.

Many of the reagents used in western blot are also validated for use in IP. Check the western blot reagent list on pages 2-3 for more information on these multi-purpose reagents.

#### Isotype Control Antibodies

#3900	Rabbit (DA1E) mAb IgG XP® Isotype Control
#3423	Rabbit (DA1E) mAb IgG XP® Isotype Control (Sepharose® Bead Conjugate
#8726	Rabbit (DA1E) mAb IgG XP® Isotype Control (Magnetic Bead Conjugate)
#4096	Rabbit (DA1E) mAb IgG XP® Isotype Control (Biotinylated)
#2729	Normal Rabbit IgG
#5415	Mouse (G3A1) mAb IgG1 Isotype Control
#5873	Mouse IgG (Magnetic Bead Conjugate)
#3420	Mouse IgG (Sepharose® Bead Conjugate)
#4097	Mouse (MOPC-21) mAb IgG1 Isotype Control (Biotinylated)
#61656	Mouse (E5Y6Q) mAb IgG2a Isotype Control
#37988	Mouse (E1D5H) mAb IgG3 Isotype Control
#53484	Mouse (E7Q5L) mAb IgG2b Isotype Control

### **Secondary Antibodies**

#2670	Mouse Anti-rabbit laC (Conformation Considio) (L2740) mAb
	Mouse Anti-rabbit IgG (Conformation Specific) (L27A9) mAb
#5127	Mouse Anti-rabbit IgG (Conformation Specific) (L27A9) mAb (HRP Conjugate)
#45262	Mouse Anti-rabbit IgG (Light-Chain Specific) (D4W3E) mAb
#93702	Mouse Anti-Rabbit IgG (Light-Chain Specific) (D4W3E) mAb (HRP Conjugate)
#58802	Rabbit Anti-Mouse IgG (Light Chain Specific) (D3V2A) mAb (HRP Conjugate)
#5946	Anti-mouse IgG (H+L), F(ab') <sub>2</sub> Fragment (Sepharose® Bead Conjugate)
#6990	Anti-rabbit IgG F(ab') <sub>2</sub> Fragment (Sepharose® Bead Conjugate)
#14708	Anti-rabbit IgG (H+L), Biotinylated Antibody
#14709	Anti-mouse IgG (H+L), Biotinylated Antibody

# Epitope Tag Antibodies, Bead Conjugated


KDDDDK Tag (D6W5B) Rabbit mAb (Binds to same epitope as Sigma's Anti-FLAG® 2 Antibody) (Sepharose® Bead Conjugate)  (KDDDDK Tag Antibody (Binds to same epitope as Sigma's Anti-FLAG® M2
'KDDDDK Tag Antibody (Binds to same epitope as Sigma's Anti-FLAG® M2
tibody) (Biotinylated)
P (D5.1) XP® Rabbit mAb (Biotinylated)
T (26H1) Mouse mAb (Magnetic Bead Conjugate)
A-Tag (C29F4) Rabbit mAb (Biotinylated)
A-Tag (C29F4) Rabbit mAb (Magnetic Bead Conjugate)
n-Tag (C29F4) Rabbit mAb (Sepharose® Bead Conjugate)
s-Tag (27E8) Mouse mAb (Magnetic Bead Conjugate)
s-Tag (27E8) Mouse mAb (Sepharose® Bead Conjugate)
s-Tag (D3I10) XP® Rabbit mAb (Biotinylated)
s-Tag (D3I10) XP® Rabbit mAb (Sepharose® Bead Conjugate)
yc-Tag (71D10) Rabbit mAb (Biotinylated)
yc-Tag (9B11) Mouse mAb (Magnetic Bead Conjugate)
S

#### Other Bead Reagents

#9863 Protein A Agarose Beads	
#73778 Protein A Magnetic Beads	
#37478 Protein G Agarose Beads	
#70024 Protein G Magnetic Beads	
#5947 Streptavidin (Magnetic Bea	d Conjugate)
#3419 Streptavidin (Sepharose® B	ead Conjugate)

### Buffers, Reagents, & Other IP Supplies

πυ012	Protease/Phosphatase Inhibitor Cocktail (100X)
#5870	Phosphatase Inhibitor Cocktail (100X)
#5871	Protease Inhibitor Cocktail (100X)
#9038	B Cell Fractionation Kit
#9803	3 Cell Lysis Buffer (10X)
#9806	6 RIPA Buffer (10X)
#9808	B Phosphate Buffered Saline (PBS-20X)
#9852	Chaps Cell Extract Buffer (10X)
#8553	B PMSF
#7017	7 6-Tube Magnetic Separation Rack
±14654	12-Tube Magnetic Separation Rack



HA-Tag (C29F4) Rabbit mAb (Magnetic Bead Conjugate) #11846: Immunoprecipitation of COS-7 cells transfected with a construct expressing HA-tagged Akt using Rabbit (DA1E) mAb IgG XP® Isotype Control (Magnetic Bead Conjugate) #8726 (Lane 2) or #11846 (Lane 3). Lane 1 is 10% lysate. The western blot was probed using HA-Tag (6E2) Mouse mAb (HRP Conjugate) #2999.

Rabbit (DA1E) mAb IgG XP® Isotype Control (Magnetic Bead Conjugate)

HA-Tag (C29F4) Rabbit mAb (Magnetic Bead Conjugate)

Additional tags, both unconjugated and bead conjugates, may be found on page 3 and at **cst-science.com/comp-tags**.

For other IP compatible products, please see our western blot companion products on pages 2-3.

# **Immunohistochemistry**

Immunohistochemistry (IHC) is used to detect protein expression in tissue samples using chromogenic or fluorescent detection methods. Both of these detection systems rely on antigen recognition mediated by a primary antibody. Our scientists optimize the staining conditions for each IHC-validated product using reagents that are developed to enhance antibody performance.

CST-recommended, product-specific protocols for IHC are available on each individual product page. Technical support is also provided by the CST scientists who make these products and know them best.

### **Buffer & Blocking Reagents**


#5425	Normal Goat Serum
#9997	Tris Buffered Saline with Tween® 20 (TBST-10X)
#12498	Tris Buffered Saline (TBS-10X)
#9808	Phosphate Buffered Saline (PBS-20X)
#9809	Phosphate Buffered Saline with Tween® 20 (PBST-20X)
#15019	Animal-Free Blocking Solution (5X)


#### Antigen Retrieval

#14746 SignalStain® Citrate Unmasking Solution (10X)
#14747 SignalStain® EDTA Unmasking Solution (10X)

#### Primary Antibody Diluent

SignalStain® Antibody Diluent #8112 yields superior staining with many of our IHC-validated antibodies. Please see product datasheets for diluent recommendations.





SignalStain® Antibody Diluent #8112: IHC analysis of paraffin- embedded human breast carcinoma comparing #8112 (left) and TBST with 5% normal goat serum (right) using Phospho-Akt (Ser473) (D9E) XP® Rabbit mAb #4060.

# Mounting & Examination

#14177 SignalStain® Mounting Medium

# **Blocking Peptides**

CST offers an extensive list of blocking peptides that can be used as controls. Visit cst-science.com/comp-blockingpep for a complete listing.


#### **Detection & Counterstain Reagents**


SignalStain® Boost IHC Detection Reagent offers several advantages over conventional ABC detection methods:

- Superior sensitivity, resulting in a stronger signal and greater confidence in your results.
- A reduced number of steps in the detection procedure, saving valuable time.

These one-step, highly sensitive detection reagents were developed to enhance sensitivity and eliminate complications arising from false positive staining due to endogenous biotin. SignalStain® Boost IHC Detection Reagents are specific to either rabbit or mouse IgG, can be used to visualize targets in both paraffin-embedded and frozen tissue, and are compatible with all peroxidase-based substrates.

#8114	SignalStain® Boost IHC Detection Reagent (HRP, Rabbit)
#8125	SignalStain® Boost IHC Detection Reagent (HRP, Mouse)
#8059	SignalStain® DAB Substrate Kit
#14166	Hematoxylin





SignalStain® Boost IHC Detection Reagent (HRP, Rabbit) #8114: IHC analysis of paraffin-embedded human papillary renal cell carcinoma using Phospho-Met (Tyr1234/1235) (D26) XP® Rabbit mAb #3077 with biotin-based detection (left)

#### **IHC Control Slides**

	nalSlide® Mouse PD-L1 IHC Controls
<b>#41965</b> Sig	
<b>#8103</b> Sig	nalSlide® Phospho-p44/42 MAPK (Thr202/Tyr204) IHC Controls
<b>#55861</b> Sig	nalSlide® HeLa -/+ IFNa IHC Controls
<b>#8101</b> Sig	nalSlide® Phospho-Akt (Ser473) IHC Controls
<b>#8102</b> Sig	nalSlide® Phospho-EGF Receptor IHC Controls
<b>#8106</b> Sig	nalSlide® PTEN IHC Controls
<b>#8104</b> Sig	nalSlide® Cleaved Caspase-3 (Asp175) IHC Controls
<b>#8117</b> Sig	nalSlide® Phospho-ErbB Family IHC Controls

# **Immunofluorescence**


### Flow Cytometry & Fluorescence Imaging

Fluorescence-based detection is commonly employed in applications such as flow cytometry, immunocytochemistry (ICC), immunohistochemistry (IHC), and high-content imaging. Cell Signaling Technology (CST) provides a comprehensive selection of control and secondary antibodies, phenotyping markers, cellular dyes, and other reagents that may be used in one or more of these applications. Each companion product listed here is rigorously evaluated for optional performance in these applications.

CST-recommended protocols for flow cytometry and fluorescence imaging applications are available on our website at cst-science.com/comp-protocols.

#### Isotype Control Antibodies

Isotype controls are used to estimate nonspecific binding of primary antibodies due to Fc receptor binding or other protein-protein interactions. In order to provide meaningful comparison data, choose an isotype control antibody that has the same immunoglobulin type and fluorescent dye (if applicable) as the test antibody.



Rabbit (DA1E) mAb IgG XP® Isotype Control (Alexa Fluor® 647 Conjugate) #2985: Flow cytometric analysis of Jurkat cells, using #2985 (red) compared to Phospho-S6 Ribosomal Protein (Ser235/236) (D57.2.2E) XP® Rabbit mAb (Alexa Fluor® 647 Conjugate) #4851, untreated (blue) or IFN-q-treated (green).

Rabbit mAb IgG Isotype Control (Alexa Fluor 647° Conjugate)

# Immune Cell Phenotyping Markers

Our surface marker antibodies will enable you to fine-tune your surface protein phenotype characteritation. Visit **cst-science.com/comp-flow-markers** to select the antibody, or combination of antibodies, that will accurately identify the cell population of interest.


#8527	Mouse (G3A1) mAb IgG1 Isotype Control (Alexa Fluor® 594 Conjugate)
#14411	Mouse (G3A1) mAb IgG1 Isotype Control (Pacific Blue™ Conjugate)
#6899	Mouse (G3A1) mAb IgG1 Isotype Control (PE Conjugate)
#37988	Mouse (E1D5H) mAb lgG3 Isotype Control
#61656	Mouse (E5Y6Q) mAb IgG2a Isotype Control
#53484	Mouse (E7Q5L) mAb IgG2b Isotype Control
#4878	Mouse (MOPC-21) mAb IgG1 Isotype Control (Alexa Fluor® 488 Conjugate)
#4843	Mouse (MOPC-21) mAb IgG1 Isotype Control (Alexa Fluor® 647 Conjugate)
#49083	Mouse (MOPC-21) mAb IgG1 Isotype Control (APC Conjugate)
#31518	Mouse (MOPC-21) mAb IgG1 Isotype Control (APC-Cy7® Conjugate)
#97146	Mouse (MOPC-21) mAb IgG1 Isotype Control (FITC Conjugate)
#63630	Mouse (MOPC-21) mAb IgG1 Isotype Control (PE Conjugate)
#79339	Mouse (MOPC-21) mAb IgG1 Isotype Control (PE-Cy7® Conjugate)
#97713	Mouse (MOPC-21) mAb IgG1 Isotype Control (PerCP Conjugate)
#24589	Mouse (MOPC-21) mAb lgG1 Isotype Control (PerCP-Cy5.5® Conjugate)
#35935	Mouse (MOPC-21) mAb lgG1 Isotype Control (redFluor™ 710 Conjugate)
#40282	Mouse (MOPC-21) mAb IgG1 Isotype Control (violetFluor™ 450 Conjugate)
#34828	Rat (LTF-2) mAb IgG2b Isotype Control (APC Conjugate)
#63801	Rat (LTF-2) mAb lgG2b Isotype Control (APC-Cy7® Conjugate)
#27426	Rat (LTF-2) mAb IgG2b Isotype Control (PE Conjugate)
#43426	Rat (LTF-2) mAb IgG2b Isotype Control (PE-Cy7® Conjugate)
#52572	Rat (LTF-2) mAb IgG2b Isotype Control (violetFluor™ 450 Conjugate)


# **Buffers & Reagents**

#12727	Immunofluorescence Application Solutions Kit
#12378	Immunofluorescence Antibody Dilution Buffer
#12411	Immunofluorescence Blocking Buffer
#12528	10X Wash Buffer, Phosphate Buffered Saline (PBS)
#12606	16% Formaldehyde, Methanol-Free
#5425	Normal Goat Serum
#9998	BSA
#13604	Methanol
#8961	ProLong® Gold Antifade Reagent with DAPI
#9071	ProLong® Gold Antifade Reagent
#11932	Image-iT® FX Signal Enhancer
#12388	BackDrop® Green Background Suppressor
#13593	Intracellular Flow Cytometry Kit (Methanol)
#13616	Flow Cytometry Antibody Dilution Buffer
#12528	10X Wash Buffer, Phosphate Buffered Saline (PBS)
#47746	4% Formaldehyde, Methanol-Free
• • • • • • • • • • • • • • • • • • • •	•


#### Cellular Dyes


#18452	Ghost Dye™ Red 780 Viability Dye
#49826	Ghost Dye™ Violet 450 Viability Dye
#59863	Ghost Dye™ Violet 510 Viability Dye
#72086	Ghost Dye <sup>™</sup> Violet 540 Viability Dye
#90232	Ghost Dye™ Red 710 Viability Dye
#7406	DRAQ7™
#4084	DRAQ5®
#4087	Propidium Iodide (PI)/RNase Staining Solution
#4083	DAPI
#8878	Alexa Fluor® 488 Phalloidin
#8953	Alexa Fluor® 555 Phalloidin
#8940	Alexa Fluor® 647 Phalloidin
#12848	DyLight™ 350 Phalloidin
#12935	DyLight™ 488 Phalloidin
#13054	DyLight™ 554 Phalloidin
#12877	DyLight <sup>™</sup> 594 Phalloidin
• · · · · · · · · · · · · · · · · · · ·	DyLight™ 650 Phalloidin
	MitoTracker® Green FM
	MitoTracker® Red CMXRos
•	MitoTracker® Deep Red FM
• • • • • • • • • • • • • • • • • • • •	LysoTracker® Green DND-26
	ER-Tracker™ Green (BODIPY® FL Glibenclamide)
#4082	Hoechst 33342





Ghost Dye™ Violet 510 Viability Dye #59863: Flow cytometric analysis of live and fixed/permeabilized human peripheral blood mononuclear cells, combined and stained with #59863. Viable gate is indicated.





Phospho-Histone H3 (Ser10) (D2C8) XP® Rabbit mAb #3377: Confocal IF analysis of HeLa cells using #3377 (green). Actin filaments have been labeled with DyLight™ 554 Phalloidin #13054 (red). Blue pseudocolor = DRAQ5® #4084 (fluorescent DNA dye).


#### Secondary Antibodies

#4408 Anti-mouse IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 488 Conjugate)
#4409 Anti-mouse IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 555 Conjugate)
#8890 Anti-mouse IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 594 Conjugate)
#4410 Anti-mouse IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 647 Conjugate)
#8887 Anti-mouse IgG (H+L), F(ab') <sub>2</sub> Fragment (PE Conjugate)
#4412 Anti-rabbit IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 488 Conjugate)
#4413 Anti-rabbit IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 555 Conjugate)
#8889 Anti-rabbit IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 594 Conjugate)
#4414 Anti-rabbit IgG (H+L), F(ab') <sub>2</sub> Fragment (Alexa Fluor® 647 Conjugate)
#8885 Anti-rabbit IgG (H+L), F(ab') <sub>2</sub> Fragment (PE Conjugate)
#4416 Anti-rat IgG (H+L), (Alexa Fluor® 488 Conjugate)
#4417 Anti-rat IgG (H+L), (Alexa Fluor® 555 Conjugate)
#4418 Anti-rat IgG (H+L), (Alexa Fluor® 647 Conjugate)

### Organelle Markers

Organelle-specific antibodies listed here will help you confirm the location of intracellular proteins of interest and assess potential links between two or more proteins. These organelle markers are powerful tools for immunofluorescent colocalization studies and can also be used as western blot controls for fractionated cell lysates. For additional organelle marker antibodies, including conjugates, visit cst-science.com/comp-organelles.

#127	41 LC3A/B (D3U4C) XP® Rabbit mAb
#32	<b>88</b> EEA1 (C45B10) Rabbit mAb
#35	01 PDI (C81H6) Rabbit mAb
#122	90 RCAS1 (D2B6N) XP® Rabbit mAb
#45	45 Pan-Keratin (C11) Mouse mAb
#57	41 Vimentin (D21H3) XP® Rabbit mAb
#51	18 Rab9A (D52G8) XP® Rabbit mAb
#90	91 LAMP1 (D2D11) XP® Rabbit mAb
#37	<b>'00</b> β-Actin (8H10D10) Mouse mAb
#38	73 α-Tubulin (DM1A) Mouse mAb
#119	67 COX IV (4D11-B3-E8) Mouse mAb
#47	77 Lamin A/C (4C11) Mouse mAb
#145	74 Nucleolin (D4C70) Rabbit mAb
#129	80 Catalase (D4P7B) XP® Rabbit mAb
#55	89 Rab11 (D4F5) XP® Rabbit mAb



Confocal IF analysis of SNB19 cells using β-Actin (8H10D10) Mouse mAb #3700 (red), Vimentin (D21H3) XP® Rabbit mAb (Alexa Fluor® 488 Conjugate) #9854 (green), COX IV (3E11) Rabbit mAb (Alexa Fluor® 647 Conjugate) #7561 (blue), and ProLong® Gold Antifade Reagent #9071


# Chromatin Immunoprecipitation and ChIP-seq

Cell Signaling Technology (CST) can meet all your chromatin immunoprecipitation (ChiP) needs, big or small, from providing a complete kit with all the reagents and controls needed to perform a ChIP experiment via sonication or enzymatic digestion, to providing individual buffers for specific parts of the ChIP experiment. We have more than 300 antibodies validated for ChIP and more than 100 validated for ChIP-seq. We also have 120 primers and Universal qPCR Master Mix to perform qPCR on your ChIP-DNA, as well as DNA Library Prep Kits and Multiplex Oligos if you are prepping your ChIP-DNA for NGS instead. The best part of all these reagents is that they are the very ones we use in-house to validate our own antibodies for ChIP and ChIP-seq, proving that they are all compatible with each other and generate high-quality ChIP data.

CST-recommended protocols for ChIP and ChIP-seq are available on our website at **cst-science.com/comp-protocols**. Each protocol is detailed and easy to follow with well-marked stopping points, so you can use them with confidence. Technical support is also provided by the CST scientists who make our ChIP products and know them best.

# Cross-linking, Fragmentation, IP, & DNA Purification





SimpleChIP® ChIP-seq DNA Library Prep Kit for Illumina® #56795: Chromatin immunoprecipitations were performed with cross-linked chromatin from 4 x 106 HCT 116 cells and TCF4/TCF7L2 (C48H11) Rabbit mAb #2569, using SimpleChIP® Plus Enzymatic Chromatin IP Kit (Magnetic Beads) #9005. DNA libraries were prepared from 50 ng, 5 ng, or 0.5 ng enrichd ChIP DNA or 50 ng Input DNA using #56795 and SimpleChIP® ChIP-seq Multiplex Oligos for Illumina® (Dual Index Primers) #47538, pooled into one sample, and sequenced on an Illumina® Next-Seq platform. The figure shows binding across CaMK2D, a known target gene of TCF4/TCF7L2. For additional ChIP-seq tracks, please download the product data sheet.

# Fragmentation

#81804	SimpleChIP® Sonication Cell and Nuclear Lysis Buffers
#14282	! SimpleChIP® Enzymatic Cell Lysis Buffers A & B
#10011	Micrococcal Nuclease

### Immunoprecipitation Reagents (for ChIP)

# CST offers >300 antibodies validated for ChIP and >100 validated for ChIP-seq.

#4600	Liliatana IIQ (DQD1Q) VD® Dabbit mAb (ChID Farmulated)
#4620	Histone H3 (D2B12) XP® Rabbit mAb (ChIP Formulated)
#3900	Rabbit (DA1E) mAb IgG XP® Isotype Control
#5415	Mouse (G3A1) mAb IgG1 Isotype Control
#2729	Normal Rabbit IgG
#14231	SimpleChIP® Chromatin IP Buffers
#9006	ChIP-Grade Protein G Magnetic Beads
#9007	ChIP-Grade Protein G Agarose Beads
#7017	6-Tube Magnetic Separation Rack
#14654	12-Tube Magnetic Separation Rack

Visit **cst-science.com/comp-chip-primary** for the full list of ChIP primary antibodies.

Visit **cst-science.com/comp-chipseq-primary** for the complete list of ChIP-seq antibodies.

# DNA Purification Reagents

#14209 SimpleChIP® DNA Purification Buffers and Spin Columns

# qPCR Reagents

CST offers >120 SimpleChIP® Control Primers.

#88989 SimpleChIP® Universal qPCR Master Mix

Visit **cst-science.com/comp-chip-primer** for the complete list of ChIP-qPCR primers.

# DNA Library Prep for NGS on Illumina®

#56795 SimpleChIP® ChIP-seq DNA Library Prep Kit for Illumina®
#29580 SimpleChIP® ChIP-seq Multiplex Oligos for Illumina® (Single Index Primers)
#47538 SimpleChIP® ChIP-seq Multiplex Oligos for Illumina® (Dual Index Primers)

# Activators, Inhibitors and Other Companion Reagents

#### **Activators & Inhibitors**

For signaling readouts, it is essential to have positive and negative controls to understand the range of biological response to stimuli. CST provides chemical modulators to enable you to assess the dynamic range of your system, which is useful for measuring changes in activation states and total protein expression

	• • • • • • • • • • • • • • • • • • • •
#9953	Staurosporine
#60332	Z-VAD(OMe)-FMK
#14774	Chloroquine
#54645	Bafilomycin A1
#29089	SBI-0206965
#3828	Forskolin
#4174	TPA (12-0-Tetradecanoylphorbol-13-Acetate)
#9995	lonomycin, Calcium Salt
#9844	H-89, Dihydrochloride
#9841	Bisindolylmaleimide I, Hydrochloride
#12754	K252a
#11916	Chelerythrine Chloride
#12808	PDBu (Phorbol 12,13-Dibutyrate)
#9902	Calyculin A
#15021	Actinomycin D
#9807	Paclitaxel
#9885	Roscovitine
#9886	Docetaxel
#14255	Vinblastine
#13043	Vincristine
#12986	Epothilone B
#9950	Trichostatin A (TSA)
#12520	Vorinostat (SAHA)
#46080	UNC1999
#66244	GSK343
#9972	Brefeldin A
#14775	SB431542
#14011	Lipopolysaccharides (LPS)
#9974	FK-506
#9973	Cyclosporin A

#16483	lbrutinib
#14704	Tyrphostin AG-490
#14703	Tofacitinib
#9903	U0126
#5633	SB203580
#9900	PD98059
#17531	Vemurafenib
#9996	Oligomycin
#9944	AICAR
#15020	DAPT
#14776	Dexamethasone
#9901	LY294002
#9904	Rapamycin
#9951	Wortmannin
#14240	Perifosine
#13101	NVP-BEZ235
#13213	ZSTK474
#13055	PX-866
#9843	Geldanamycin
#9676	Leptomycin B
#5934	Okadaic Acid
#2112	Cycloheximide
#13624	Y-27632
#2194	MG-132
#8177	SP600125
#2200	Etoposide
#2204	Bortezomib
#8158	SB202190
#5927	Doxorubicin
#2190	Nocodazole

S	III activi	ation states and total protein expression.
	#12060	Gö6976
	#2222	Anisomycin
	#9052	Dasatinib
	#9084	Imatinib
	#12147	PD184352
	#13630	IBMX
	#13621	SB216763
	#13637	Camptothecin
	#8132	17-AAG
	#9493	PKC412
	#8705	Sorafenib
	#4765	Gefitinib
	#12121	Lapatinib
	#5083	Erlotinib
	#12328	Sunitinib
	#4401	Crizotinib
	#12466	Pazopanib
	#9842	Tyrphostin AG 1478
	#12961	Axitinib
	#12209	Nilotinib
	#12998	Vatalanib
	#12616	Vandetanib
	#12819	Tunicamycin
	#12758	Thapsigargin
	#14379	Torin 1
	#14385	
	#12017	Everolimus
	#15022	Carfilzomib

Visit **cst-science.com/activators-inhibitors** for the full list of activators and inhibitors.

# SignalSilence® siRNA Reagents

SignalSilence® siRNA reagents allow the researcher to specifically inhibit protein expression. Two equally potent siRNAs are available for most targets. Visit **cst-science.com/comp-sirna** for the complete list of SignalSilence® siRNA Reagents.

# Cytokines & Growth Factors

CST offers recombinant cytokines and growth factors which are held to the same high-quality standards as CST antibodies. Visit cst-science.com/comp-cytokines for the complete list of cytokines and growth factors.



Founded by research scientists in 1999, Cell Signaling Technology (CST) is a private, family owned company with over 400 employees worldwide. Active in the field of applied systems biology research, particularly as it relates to cancer, CST understands the importance of using antibodies with high levels of specificity and lot-to-lot consistency. That's why we produce all of our antibodies in house and perform painstaking validations for multiple applications. And the same CST scientists who produce our antibodies also provide technical support for customers, helping them design experiments, troubleshoot, and achieve reliable results.



# www.cellsignal.com

CST Antibody Performance Guarantee: To learn more, please visit: www.cellsignal.com/abguarantee.

